

COLOURED STAIN REMOVER

Specific product to remove coloured stains from surfaces made of natural stone, stoneware, ceramics, cotto or concrete.



COLOURED STAIN REMOVER is a water-based liquid stain remover specifically developed and formulated for the definitive removal of coloured stains from surfaces, such as spillages of: coffee, wine, fruit juice, tea, and drinks in general, but also ink, markers and many other liquid staining agents. **COLOURED STAIN REMOVER** is also particularly effective when it comes to removing stains from mould, algae, residues and plant growths in general.

The formulation of **COLOURED STAIN REMOVER** means that it can act deep down through the thickness of the material, removing even older, more stubborn stains without altering the original appearance of the treated surface in any way. Thanks to its dense, viscous consistency, **COLOURED STAIN REMOVER** can easily be applied to vertical surfaces too. Once applied to the stain to be removed, the product works alone without needing any further processes.

COLOURED STAIN REMOVER is effective on stains but gentle on surfaces and therefore, it can be used on all types of material, including more sensitive surfaces such as marble.

CHARACTERISTICS AND BENEFITS

- ✓ **Water-based product**
- ✓ Excellent **stain-removing** power
- ✓ **Quick** and **easy** application
- ✓ **Will not ruin** treated surfaces
- ✓ **Versatile** product
- ✓ Also suitable for **vertical surfaces**

USES

This product **can be used** on both indoor and outdoor surfaces.

Suitable for use on: Marble-cement agglomerate, Marble-resin agglomerate, Quartz-resin agglomerate, Slate, Sandstone, Basaltina - Lava stone, Molten basalt, Cementina, Concrete, Craquelé ceramics, Glazed ceramics, Clinker, Cotto, Granite, Lapped porcelain stoneware, Polished porcelain stoneware, Natural porcelain stoneware, Textured porcelain stoneware, Cement grout, Limestone, Marble, Exposed brick, Reconstituted stone (Eco stone), Porphyry, Quarzite, Terracotta, Travertine, Tuff

COVERAGE

N.A.

APPLICATION EQUIPMENT

Brush, Spatula, Direct application to stains



Stain removers

COLOURED STAIN REMOVER - Specific product to remove coloured stains from surfaces made of natural stone, stoneware, ceramics, cotto or concrete.



APPLICATION STEPS

Preparing and cleaning the surface

1. Carefully clean the surface, making sure to remove any dust or rough dirt present.
2. Do not apply COLOURED STAIN REMOVER to overly heated surfaces. We recommend applying the product during the coolest periods of the day.
3. In the case in which the surface to be treated has a previous surface layer of wax, proceed to the removal of the same with *SOLVENT STRIPPER* or *WAX REMOVER*.

Application

COLOURED STAIN REMOVER must only be used alone. NEVER mix it with other chemicals.

4. The product is for use without dilution. Pour the product straight onto the surface being treated. Use a brush, spatula or if simpler, pour directly onto the surface, covering it completely with a thick layer of product. When used on particularly large surfaces, such as when removing mould and algae from floors, the product can be applied and worked with a mechanical polisher, broom or other suitable tool.

5. Leave the product to act on the surface until the stain has been completely extracted. The time required will depend on the intensity of the stain, its depth, stubbornness and the amount of time it has been there.

Although all cases have different characteristics that may require specific and different timeframes, generally the time required to extract the stain can be summed up as follows:

- **Coffee stains, wine, tea, coca-cola, tomato, and food and drink** in general: from 30 minutes to 2 hours.
- Stains from **marker pens and ink**: from 30 minutes to 3 hours
- **Mould, algae** and the spread of **plants and residues** in general: from 15 minutes to 1 hour

6. After the set period of time, proceed to remove the product and its residues. To remove COLOURED STAIN REMOVER it is possible to use absorbent paper or cloths in case of small surfaces, soaking up and removing residues until the surface is completely clean. Wipe the surface with a slightly damp cloth and wait for it to dry thoroughly before assessing the stain removal results. In case of medium or large surfaces, remove all residues with a broom and absorbent rags or a damp mop, until all excesses have been completely eliminated. Wipe the surface with a slightly damp cloth and wait for it to dry thoroughly before assessing the stain removal results.

If the finished result is not totally satisfactory, repeat the product application process as described above, or decide on the need to sand the surface beforehand. If the stain is mixed in origin, it may be a good idea also to use another type of stain remover.



Stain removers

COLOURED STAIN REMOVER - Specific product to remove coloured stains from surfaces made of natural stone, stoneware, ceramics, cotto or concrete.



When treating particularly absorbent surfaces, such as untreated natural stone or cotto, to prevent too much product from being absorbed by the material, wet the surface with a little water before applying the product.

Opening to floor traffic

7. After rinsing the surface with water, wait for the floor to dry completely before opening to foot traffic.

COMPLEMENTARY CLEANING AND MAINTENANCE PRODUCTS

After treating with COLOURED STAIN REMOVER assess the possibility to apply a stainproof treatment, such as MARBLE & GRANITE PROTECTOR or AQUA TREATMENT, which needs to be chosen according to the characteristics of the surface. Keep the surface clean with the most suitable Faber product, such as NEUTRAL CLEANER or FLOOR CLEANER, to be selected according to the characteristics of the surface.

INSTRUCTIONS AND GUIDELINES

COLOURED STAIN REMOVER must only be used alone. NEVER mix it with other chemicals.

- Do not apply the product to overly heated surfaces.
- Do not apply the product when there is an imminent risk of rain or frost, or in the presence of mist.
- While applying the product to the surface concerned it must not be exposed to direct sunlight.
- Apply the product to surfaces in temperatures of between +5 and +40°C
- When using on recently laid or grouted surfaces, wait for the grout to cure completely.
- Before applying the product to the whole surface, it is advisable to test a small, unexposed area or unused piece to check its suitability for use.

EQUIPMENT CLEANING

At the end of application, the equipment used can be washed using water.

SAFETY

When applying the product, always use suitable personal protective equipment and carefully follow the instructions on the product safety data sheet.

PHYSICAL AND TECHNICAL INFORMATION

Aspect:	Gel
Colour	Transparent
Odore:	Hypochlorite
pH	11.5 ± 0.5
Specific Gravity at 20°C	1120 ± 10 g/l

STORAGE

Keep the container tightly closed and store in a cool, dry place.

SHELF LIFE

36 months in the original, sealed packaging, stored in a cool, dry place.



Stain removers

COLOURED STAIN REMOVER - Specific product to remove coloured stains from surfaces made of natural stone, stoneware, ceramics, cotto or concrete.



ACCIDENTAL SPILLS

Soak up the product with an absorbent material (paper towels, sawdust, vermiculite, etc.) and dispose of it in the most suitable waste container.

PACKAGING

- 500 ml bottles - 12 bottles per box

HAZARD IDENTIFICATION



H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H411	Toxic to aquatic life with long lasting effects.
UEH031	Contact with acids liberates toxic gas.
P260	Do not breathe dust/fume/gas/mist/vapours/spray
P264	Wash ... thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Version 2.0 – 17/10/2016

This technical data sheet supersedes all previous versions. Always refer to the latest version of the data sheet, available on www.fabersurfacecare.com site. Faber Chimica reserves the right to update and / or modify the data and information contained in the data sheet.

The information in this data sheet is based on our wide experience in technical and operational research. In any case you should always make a preliminary test to verify the suitability of the product for the intended use and the type of material on which it will be applied. The information and the suggestions can't be construed as a commitment or result in our responsibility as the conditions and method of use of the product cannot be controlled by us. Therefore Faber Chimica Srl disclaims any liability with regard to the use of such data and suggestions.

