





Honing and Polishing

CRAQUELÉ CREAM

Water-based, cream to polish and restore acid etching stains on craquelè ceramics

CRAQUELE' CREAM is a water-based polishing cream for craquele ceramic. The product is able to treat and polish the stains that are caused by the acid-etching of the surface.

CRAQUELE' CREAM is also very effective when it comes to removing limescale buildup, even if particularly stubborn, without in any way affecting the special glaze and cracking that is tipycal of this type of surface.

BENEFITS

- ✓ Specific for craquelè ceramic
- Ready to use
- ✓ It enhances the surface resistance against dirt
- ✓ Highly effective for the treatment of acid-etching stains
- ✓ It doesn't contain waxing agents

USES

Suitable for indoor and outdoor applications. **Suitable** for Craquelè Ceramic

COVERAGE

NA

APPLICATION EQUIPMENT

White Pad, Single disk machine, Hand polisher

APPLICATION STEPS

Before applying the product it is necessary taking a preliminary test to evaluate the suitability of the product on an unexposed area or unused piece of material

Surface Preparation

- Before proceeding with the cleaning, it is advisable to clean away any surface residues, such as dust, debris, and coarse dirt, using a broom or a vacuum cleaner.
- Wait for the surface to be treated to be completely dry.
- Any surfaces close by not to be treated with the product must be protected.
- Apply the product to surfaces with a temperature between +5 and +40°C

Application

- Shake the bottle well before use and pour a small amount of product onto the surface to be treated.
- Start to work the product in circular motions using the white pad, making sure to treat the whole surface evenly.
- The necessary time to achieve the desired results will vary according to the
 depth of the etching to be restored. While working with the product, keep
 checking the surface to see the result achieved. Continue to work with the
 product until the required result has been achieved. In case of particularly
 deep corrosions, it may be necessary to use a hand polisher with a white pad.
- After working the product, remove all residues and rinse with plenty of water.

Resume Surface Use

After carefully removing any residues and rinsing the surface with water, the floor can be opened to foot traffic.



SHOWROOM LINE



COMPLEMENTARY MAINTENANCE PRODUCTS MANUTENZIONE

After using **CRAQUELE CREAM** we recommend using the most suitable Faber cleaner, such as **NEUTRAL CLEANER** or **FLOOR CLEANER**, depending on the nature of the surface.

INSTRUCTIONS AND GUIDELINES

- Don't let the product dry on the surface, if needed add a few drops of water.
- Do not apply the product on wet or heated surfaces
- Do not apply the product on acidified surfaces
- When applying to recently laid or grouted surfaces, wait for the adhesive or grout to cure completely.
- Do not use in combination with other chemicals if not specifically required
- Before applying the product it is necessary to take a preliminary test to evaluate its suitability

EQUIPMENT CLEANING

The equipment used can be cleaned with water

PHYSICAL AND TECHNICAL DATA

Formula	Cream
Color	White
Odor	N.A
pH	10 ± 0.5
Specific gravity at 20°C	$1800 \pm 20 \text{ g/l}$

STORAGE Keep the container tightly closed and store in a cool, dry place.

SHELF LIFE 24 months in the original, sealed packaging, stored in a cool, dry place.

PACKAGING 250 MI bottles - 12 bottles per box

ACCIDENTAL SPILLS

Soak up the product with an absorbent material (paper towels, sawdust, vermiculite, etc.) and dispose of it in the most suitable waste container.

SAFETY

When applying the product, always use suitable personal protective equipment

and follow the instructions on the product safety data sheet with care.

Rev3.0 - 12/09/2022

This technical data sheet supersedes all previous versions. Always refer to the latest version of the data sheet, available on www.fabersurfacecare.com site. Faber Chimica reserves the right to update and/or modify the data and information contained in the datasheet.

The information in this data sheet is based on our wide experience in technical and operational research. In any case, you should always make a preliminary test to verify the suitability of the product for the intended use and the type of material on which it will be applied. The information and the suggestions can't be construed as a commitment or result in our responsibility as the conditions and method of use of the product cannot be controlled by us. Therefore Faber Chimica Srl disclaims any liability concerning the use of such data and suggestions.