





Protective Treatments

STONE TOP PROTECTOR

Invisible stain-proof low-odor treatment for kitchen and bathroom tops

STONE TOP PROTECTOR is a solvent-based, stain-proof impregnating treatment for the protection of kitchen and bathroom tops, tables, or worktops made of natural or reconstituted stone against water and staining agents.

STONE TOP PROTECTOR is certified safe tob e used on surfaces that are in contact with food. The product prevents the staining agent from penetrating the material making the daily maintenance easier.

BENEFITS

- ✓ Great stain-proof protection
- ✓ UV resistant
- ✓ It won't yellow overtime
- ✓ It reduces the ability of the surface to store dirt.
- Certified safe to be used on surfaces in contact with food

USES

Suitable for indoor and outdoor applications.

Suitable for Top cucina o bagno in pietra naturale o in agglomerati.

COVERAGE

10/15 m²/l according to the absorption level of the surface being treated

APPLICATION EQUIPMENT

Brush, roller, lambswool applicator, airless spray, cloth

APPLICATION STEPS

Before applying the product it is necessary taking a preliminary test to evaluate the suitability of the product on an unexposed area or unused piece of material Surface Preparation

- Carefully clean the surface, making sure to remove any dust or dirt present.
- Wait for the surface to be treated to be completely dry.
- All surfaces close by not being treated must be protected
- Apply the treatment on surfaces with a temperature between +5 and +40°C

Applicazione

- Apply an even layer of product to cover the whole surface being treated, using the tools of choice. Make sure to create an even, seamless layer to cover the whole surface.
- After about 10 minutes from the application start redestributing the residues and excess of product. Keep doing it until all residues have been completely absorbed.
- When applying the product to more absorbing surfaces, apply a second coat about 1 hour after the first one, following the same procedure described above.

Resume Surface Use

Surfaces will be dry about 1 hour from product application. When used on floor surfaces, wait at least 4-6 hours before opening the floor to foot traffic.



COMPLEMENTARY
MAINTENANCE
PRODUCTS
MANUTENZIONE

After the treatment with **STONE TOP PROTECTOR** we recommend using the most suitable Faber cleaner, such as **NEUTRAL CLEANER** or **FLOOR CLEANER**, depending on the nature of the surface.

INSTRUCTIONS AND GUIDELINES

- Do not apply the product on wet or heated surfaces
- When applying to recently laid or grouted surfaces, wait for the adhesive or grout to cure completely.
- Before applying the product it is necessary to take a preliminary test to evaluate its suitability

EQUIPMENT CLEANING

The equipment used can be cleaned with white spirit

PHYSICAL AND TECHNICAL DATA

Formula	Liquid
Color	Clear
Odor	Solvent
Flammability (ASTM D 56)	23 °C open vase
Specific gravity 20°C	$800 \pm 10 \text{ g/l}$

STORAGE Keep the container tightly closed and store in a cool, dry place.

SHELF LIFE 36 months in the original, sealed packaging, stored in a cool, dry place.

PACKAGING 500 ml bottles - 12 bottles per box

ACCIDENTAL SPILLS

Soak up the product with an absorbent material (paper towels, sawdust, vermiculite, etc.) and dispose of it in the most suitable waste container.

SAFETY

When applying the product, always use suitable personal protective equipment and follow the instructions on the product safety data sheet with care.

Rev6.0 - 12/09/2022

This technical data sheet supersedes all previous versions. Always refer to the latest version of the data sheet, available on www.fabersurfacecare.com site. Faber Chimica reserves the right to update and/or modify the data and information contained in the datasheet.

The information in this data sheet is based on our wide experience in technical and operational research. In any case, you should always make a preliminary test to verify the suitability of the product for the intended use and the type of material on which it will be applied. The information and the suggestions can't be construed as a commitment or result in our responsibility as the conditions and method of use of the product cannot be controlled by us. Therefore Faber Chimica Srl disclaims any liability concerning the use of such data and suggestions.